



System Fact Sheet

SYSTEM

Introduced: July 1994
Discontinued: October 1995
Gestalt ID: 115
Form Factor: PowerBook 140
Weight (lbs.): 5.8
Dimensions (inches): 2.25 H x 11.25 W x 9.3 D

Codename: Jedi
Oder Number: M2794LL/A
KB Article #: 15731, 15733

POWER

Max. Watts: 17
Amps: 2.00
BTU Per Hour: 58.14
Voltage Range: 100-240
Freq'y Range (Hz): 50-60
Battery Type: PB1XX, NiCd

Soft Power
 Monitor Power Outlet

PORTS

ADB: 1
Video: none
Floppy: none
SCSI: HDI-30
GeoPort Connectors: none
Ethernet: none
Microphone Port Type: none

Printer **Speaker**
 Modem **Headphone**
 Airport **Remote Control**

VIDEO

Built-in Display: 9" *FSTN* passive matrix LCD

VRAM Speed:	VRAM Needed:	Video Configuration:	512	640	640	640	800	832	1024	1152	1280
n/a	built in	built-in LCD screen	x384	x400	x480	x870 ²	x600	x624	x768	x870	x1024
			n/a	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a

Maximum Color Bit-depth¹ At:

¹ 1-bit = Black & White; 2-bit = 4 colors; 4-bit = 16 colors; 8-bit = 256 colors; 16-bit = Thousands; 24-bit = Millions
² The maximum color depth listed for 640x870 is 8-bit, reflecting the capabilities of the Apple 15" Portrait Display.

LOGICBOARD

Main Processor: 68030, 33 MHz
PMMU: integrated
FPU: none
Data Path: 32-bit, 33 MHz
L1 Cache: 0.5K
L2 Cache: none
Secondary Processor: none
Slots: modem

MEMORY

Memory on Logic Board: 4 MB
Minimum RAM: 4 MB
Maximum RAM: 40 MB
RAM Slots: 1 Duo
Minimum RAM Speed: 70 ns
RAM Sizes: 4, 8, 20, 36 MB
Install in Groups of: 1

SOFTWARE

Speech Recognition Supported

Addressing Modes: 32-bit
Original SSW: 7.1.1
Original Enabler: PowerBook 150 Enabler

ROM ID: \$067C
ROM Version: n/a
ROM Size: 1MB
AppleTalk Version: 57.0.4

Supported Macintosh System Software:

<input type="checkbox"/> A/UX 1.0	<input type="checkbox"/> NOS 1.11	<input type="checkbox"/> ProDOS	<input type="checkbox"/>
<input type="checkbox"/> A/UX 1.11	<input type="checkbox"/> NOS 1.3	<input type="checkbox"/> GS/OS	<input type="checkbox"/>
<input type="checkbox"/> A/UX 2.0	<input type="checkbox"/> NOS 2.0	<input type="checkbox"/> NeXTStep 1.x	<input type="checkbox"/>
<input type="checkbox"/> A/UX 3.0.1	<input type="checkbox"/> NOS 2.1	<input type="checkbox"/> NeXTStep 2.x	<input type="checkbox"/>
<input type="checkbox"/> A/UX 4.1.4	<input type="checkbox"/> LOS 7/7	<input type="checkbox"/> NeXTStep 3.x	<input type="checkbox"/>
<input type="checkbox"/> A/UX 4.1.4.1	<input type="checkbox"/> DOS 3.1	<input type="checkbox"/> OpenStep	<input type="checkbox"/>
<input type="checkbox"/> A/UX 4.1.5	<input type="checkbox"/> SOS 1.3	<input type="checkbox"/> <1.0	<input type="checkbox"/>

SOUND

Built-in Microphone

Microphone Port Type: none
Sound In: none
Sound Out: mono, 8-bit

STORAGE

Supports Internal CD-ROM

Floppy Size: 1.44MB
Floppy Inject: manual
Internal HD Size: 120-250MB
Internal HD Interface: IDE
Original CD-ROM Speed:

HISTORY

Introduced in July 1994, the PowerBook 150 was Apple's first truly affordable PowerBook. While people grumbled about its lack of an ADB port (It had only serial and SCSI ports) and fuzzy passive matrix screen, the 150 was an excellent value at \$1,300. It was discontinued in October 1995.