

| Name | Original System Software | Original Enabler | Speech Recog'n Supported | ROM ID | ROM Version | ROM Size | Original AppleLink Version | Addr. Modes |
|--|--------------------------|-------------------------|-------------------------------------|--------|-------------|----------|----------------------------|-------------|
| Apple I | | | <input type="checkbox"/> | | | | | |
| Apple II | | | <input type="checkbox"/> | | | 12k | | |
| Apple II+ | | | <input type="checkbox"/> | | | 12k | | 32-bit |
| Apple II+ (Bell & Howell) | | | <input type="checkbox"/> | | | 12k | | 32-bit |
| Apple IIc | | | <input type="checkbox"/> | | | 32k | | |
| Apple IIc Plus | | | <input type="checkbox"/> | | | 32k | | 32-bit |
| Apple IIe | | | <input type="checkbox"/> | | | 16k | | |
| Apple IIe (extended/enhanced) | | | <input type="checkbox"/> | | | 32k | | |
| Apple IIgs | | | <input type="checkbox"/> | | | 128k/25 | | |
| Apple III | | | <input type="checkbox"/> | | | 4k | | |
| Apple III+ | | | <input type="checkbox"/> | | | 4k | | 32-bit |
| DayStar Genesis LT 400+ | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| DayStar Genesis MP 300 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| DayStar Genesis MP 360+ | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| DayStar Genesis MP 400+ | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| DayStar Genesis MP 450+ | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| DayStar Genesis MP 466+ | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| DayStar Genesis MP 528 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| DayStar Genesis MP 600 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| DayStar Genesis MP 720+ | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| DayStar Genesis MP 800+ | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| DayStar Genesis MP 900+ | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| DayStar Genesis MP 932+ | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| eMac | OSX or 9.2 | | <input checked="" type="checkbox"/> | | | | | 32-bit |
| eMac (Late 2002) | OSX or 9.2 | | <input checked="" type="checkbox"/> | | | | | 32-bit |
| eMate 300 | NOS 2.0 | | <input type="checkbox"/> | | | | | 32-bit |
| iBook | 8.6 | | <input type="checkbox"/> | | | | | 32-bit |
| iBook 12.1" (2002) | 9.2.2 | | <input type="checkbox"/> | | | | | 32-bit |
| iBook 12.1" (Late 2002) | 9.2.2 | | <input type="checkbox"/> | | | | | 32-bit |
| iBook 14.1" (2002) | 9.2.2 | | <input type="checkbox"/> | | | | | 32-bit |
| iBook 14.1" (Late 2002) | 9.2.2 | | <input type="checkbox"/> | | | | | 32-bit |
| iBook (Dual-USB) | 9.1 | | <input type="checkbox"/> | | | | | 32-bit |
| iBook (Dual-USB/Late 2001) | 9.2.1 | | <input type="checkbox"/> | | | | | 32-bit |
| iBook (Mid 2002) | OSX or 9.2 | | <input type="checkbox"/> | | | | | 32-bit |
| iBook SE | 8.6 | | <input type="checkbox"/> | | | | | 32-bit |
| iBook/SE (FireWire) | 9.0.4 | | <input type="checkbox"/> | | | | | 32-bit |
| iMac (5 Flavors, 266 MHz) "Rev. C" | 8.5.1 | | <input type="checkbox"/> | | | 1MB* | 60 | 32-bit |
| iMac (5 Flavors, 333 MHz) "Rev. D" | 8.5.1 | | <input type="checkbox"/> | | | 1 MB* | 60 | 32-bit |
| iMac (500 MHz - Late 2001) | 9.1 | n/a | <input checked="" type="checkbox"/> | n/a | n/a | 1 MB | n/a | 32-bit |
| iMac (600 MHz - Late 2001) | 9.1 | n/a | <input checked="" type="checkbox"/> | n/a | n/a | 1 MB | n/a | 32-bit |
| iMac (Bondi Blue, 233 MHz) | 8.1/8.5 | 462 | <input type="checkbox"/> | 77D | 44F1 | 1 MB* | 60 | 32-bit |
| iMac DV SE (Summer 2000) | 9.0.4 | n/a | <input checked="" type="checkbox"/> | n/a | n/a | 1 MB | n/a | 32-bit |
| iMac DV (Summer 2000) | 9.0.4 | n/a | <input checked="" type="checkbox"/> | n/a | n/a | 1 MB | n/a | 32-bit |
| iMac DV+ (Summer 2000) | 9.0.4 | n/a | <input checked="" type="checkbox"/> | n/a | n/a | 1 MB | n/a | 32-bit |
| iMac DV/SE | 8.6 | | <input type="checkbox"/> | | | 1 MB* | 60 | 32-bit |
| iMac (Early 2001) | 9.1 | n/a | <input checked="" type="checkbox"/> | n/a | n/a | 1 MB | n/a | 32-bit |
| iMac "Luxo" (700 MHz - LCD) | 9.2 | n/a | <input checked="" type="checkbox"/> | n/a | n/a | 1 MB | n/a | 32-bit |
| iMac "Luxo" (700 MHz - LCD - Summer 2002) | 9.2 | n/a | <input checked="" type="checkbox"/> | n/a | n/a | 1 MB | n/a | 32-bit |
| iMac "Luxo" (800 MHz - LCD) | 9.2 | n/a | <input checked="" type="checkbox"/> | n/a | n/a | 1 MB | n/a | 32-bit |
| iMac "Luxo" (800 MHz - LCD - Summer 2002) | 9.2 | n/a | <input checked="" type="checkbox"/> | n/a | n/a | 1 MB | n/a | 32-bit |
| iMac "Luxo" Widescreen (800 MHz - LCD) | 9.2 | n/a | <input checked="" type="checkbox"/> | n/a | n/a | 1 MB | n/a | 32-bit |
| iMac SE (Early 2001) | 9.1 | n/a | <input checked="" type="checkbox"/> | n/a | n/a | 1 MB | n/a | 32-bit |
| iMac Special Edition (700 MHz - Late 2001) | 9.1 | n/a | <input checked="" type="checkbox"/> | n/a | n/a | 1 MB | n/a | 32-bit |
| iMac/iMac DV (Slot Loading CD-ROM) | 8.6 | | <input type="checkbox"/> | | | 1 MB* | 60 | 32-bit |
| Interactive Television Box | | | <input type="checkbox"/> | | | | | 32-bit |
| Lisa/Lisa2 | MacWorks | none | <input type="checkbox"/> | n/a | n/a | 16K | none | |
| Macintosh 128K | 0.0 | none | <input type="checkbox"/> | \$0000 | n/a | 64K | n/a | 24-bit |
| Macintosh 512K | 0.7 | none | <input type="checkbox"/> | \$0000 | n/a | 64K | n/a | 24-bit |
| Macintosh 512Ke | 1.0 | none | <input type="checkbox"/> | \$0075 | n/a | 128K | n/a | 24-bit |
| Macintosh Centris 610 | 7.1 | System Enabler 040 v1.0 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Centris 650 | 7.1 | System Enabler 040 v1.0 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Centris 660AV | 7.1 | System Enabler 088 v1.0 | <input checked="" type="checkbox"/> | \$077D | \$10 | 2MB | 57.0.5 | 32-bit |
| Macintosh Classic | 6.0.7 | none | <input type="checkbox"/> | \$0276 | n/a | 512K | 48 | 24-, 32-bit |
| Macintosh Classic II | 7.0.1 | none | <input type="checkbox"/> | \$067C | n/a | 512K | 56.0.2 | 24-, 32-bit |
| Macintosh Color Classic | 7.1 | System Enabler 401 | <input type="checkbox"/> | \$067C | \$24 | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Color Classic II | J-7.1 | System Enabler 403 | <input type="checkbox"/> | \$067C | \$24 | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Duo Dock | n/a | n/a | <input type="checkbox"/> | n/a | n/a | n/a | n/a | n/a |
| Macintosh Duo Dock II | n/a | n/a | <input type="checkbox"/> | n/a | n/a | n/a | n/a | 32-bit |
| Macintosh Duo Dock Plus | n/a | n/a | <input type="checkbox"/> | n/a | n/a | n/a | n/a | 32-bit |
| Macintosh Duo MiniDock | n/a | n/a | <input type="checkbox"/> | n/a | n/a | n/a | n/a | n/a |
| Macintosh II | 2.0 | none | <input type="checkbox"/> | \$0178 | n/a | 256K | 49 | 24-bit |
| Macintosh IIci | 6.0.4 | none | <input type="checkbox"/> | \$067C | n/a | 512K | 52 | 24-, 32-bit |
| Macintosh IIcx | 6.0.3 | none | <input type="checkbox"/> | \$0178 | n/a | 256K | 49 | 24-bit |
| Macintosh IIx | 6.0.5 | none | <input type="checkbox"/> | \$067C | n/a | 512K | 54 | 24-, 32-bit |
| Macintosh IIsi | 6.0.7 | none | <input type="checkbox"/> | \$067C | n/a | 512K | 54 | 24-, 32-bit |
| Macintosh IIvi | 7.1 | System Enabler 001 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh IIvx | 7.1 | System Enabler 001 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh IIfx | 6.0.1 | none | <input type="checkbox"/> | \$0178 | n/a | 256K | 49 | 24-bit |

| Name | Original System Software | Original Enabler | Speech Recog'n Supported | ROM ID | ROM Version | ROM Size | Original AppleLink Version | Addr. Modes |
|---|--------------------------|----------------------------|-------------------------------------|--------|-------------|----------|----------------------------|-------------|
| Macintosh LC | 6.0.7 | none | <input type="checkbox"/> | \$067C | n/a | 512K | 54 | 24-, 32-bit |
| Macintosh LC 475 | 7.1 | System Enabler 065 | <input type="checkbox"/> | \$067C | n/a | 512k* | 57.0.4 | 24-, 32-bit |
| Macintosh LC 520 | 7.1 | System Enabler 403 v1.0 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh LC 550 | 7.1 | System Enabler 403 v1.0.2 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh LC 575 | 7.1 | System Enabler 065 | <input type="checkbox"/> | \$067C | \$26 | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh LC 580 | 7.5 | none | <input type="checkbox"/> | \$067C | \$32 | 1MB | 58.1.3 | 32-bit |
| Macintosh LC 630 | 7.1.2P | System Enabler 405 | <input type="checkbox"/> | \$067C | \$21 | 1MB | 57.0.4 | 32-bit |
| Macintosh LC 630 DOS Compatible | 7.5.1 | none | <input type="checkbox"/> | \$067C | \$32 | 1MB | 58.1.3 | 32-bit |
| Macintosh LC II | 7.0.1 | none | <input type="checkbox"/> | \$067C | \$19 | 512K | 54 | 24-, 32-bit |
| Macintosh LC III | 7.1 | System Enabler 003 | <input type="checkbox"/> | \$067C | \$22 | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh LC III+ | 7.1 | System Enabler 003 v1.1 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 200 | 7.0.1P | none | <input type="checkbox"/> | \$067C | n/a | 512K | 48 | 24-, 32-bit |
| Macintosh Performa 250 | 7.1 | System Enabler 401 | <input type="checkbox"/> | \$067C | \$24 | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 275 | J-7.1 | System Enabler 403 | <input type="checkbox"/> | \$067C | \$24 | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 400 | 7.0.1P | none | <input type="checkbox"/> | \$067C | n/a | 512K | 54 | 24-, 32-bit |
| Macintosh Performa 405 | 7.0.1P | none | <input type="checkbox"/> | \$067C | n/a | 512K | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 410 | 7.1P3 | none | <input type="checkbox"/> | \$067C | n/a | 512K | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 430 | 7.1P2 | none | <input type="checkbox"/> | \$067C | n/a | 512K | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 450 | 7.1P2 | System Enabler 308 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 460 | 7.1P3 | System Enabler 308 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 466 | 7.1P3 | System Enabler 308 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 467 | 7.1P3 | System Enabler 308 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 475 | 7.1P3 | System Enabler 364 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 476 | 7.1P3 | System Enabler 364 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 520 | J-7.1 | System Enabler 403 vJ2-1.0 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 5200CD | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 5210CD | J-7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 5215CD | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 5220CD | J-7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 5260/120 | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Macintosh Performa 5260CD | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Macintosh Performa 5270CD | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Macintosh Performa 5280 | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Macintosh Performa 5300CD | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 5320CD | J-7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 5400/160 | 7.5.3 | System Enabler 410 | <input checked="" type="checkbox"/> | \$077D | \$29 | 4MB | 58.1.5 | 32-bit |
| Macintosh Performa 5400/180 | 7.5.3 | System Enabler 410 | <input checked="" type="checkbox"/> | \$077D | \$29 | 4MB | 58.1.5 | 32-bit |
| Macintosh Performa 5400CD | 7.5.3 | System Enabler 410 | <input checked="" type="checkbox"/> | \$077D | \$29 | 4MB | 58.1.5 | 32-bit |
| Macintosh Performa 5410CD | 7.5.3 | System Enabler 410 | <input checked="" type="checkbox"/> | \$077D | \$29 | 4MB | 58.1.5 | 32-bit |
| Macintosh Performa 5420CD | 7.5.3 | System Enabler 410 | <input checked="" type="checkbox"/> | \$077D | \$29 | 4MB | 58.1.5 | 32-bit |
| Macintosh Performa 5430 | 7.5.3 | System Enabler 410 | <input checked="" type="checkbox"/> | \$077D | \$29 | 4MB | 58.1.5 | 32-bit |
| Macintosh Performa 5440 | 7.5.3 | System Enabler 410 | <input checked="" type="checkbox"/> | \$077D | \$29 | 4MB | 58.1.5 | 32-bit |
| Macintosh Performa 550 | 7.1P3 | System Enabler 332 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 560 | 7.1P5 | System Enabler 332 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 575 | 7.1P6 | System Enabler 364 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 577 | 7.1P6 | System Enabler 364 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 578 | 7.1P6 | System Enabler 364 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 580CD | 7.5 | none | <input type="checkbox"/> | \$067C | \$32 | 1MB | 58.1.3 | 32-bit |
| Macintosh Performa 588CD | J-7.5 | none | <input type="checkbox"/> | \$067C | \$32 | 1MB | 58.1.3 | 32-bit |
| Macintosh Performa 600 and 600CD | 7.1P | System Enabler 304 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Performa 6110CD | 7.5 | none | <input checked="" type="checkbox"/> | \$077D | \$A4 | 4MB | 58.0.2 | 32-bit |
| Macintosh Performa 6112CD | 7.5 | none | <input checked="" type="checkbox"/> | \$077D | \$A4 | 4MB | 58.0.2 | 32-bit |
| Macintosh Performa 6115CD | 7.5 | none | <input checked="" type="checkbox"/> | \$077D | \$A4 | 4MB | 58.0.2 | 32-bit |
| Macintosh Performa 6116CD | 7.5.1 | none | <input checked="" type="checkbox"/> | \$077D | \$A4 | 4MB | 58.0.2 | 32-bit |
| Macintosh Performa 6117CD | 7.5 | none | <input checked="" type="checkbox"/> | \$077D | \$A4 | 4MB | 58.0.2 | 32-bit |
| Macintosh Performa 6118CD | 7.5 | none | <input checked="" type="checkbox"/> | \$077D | \$A4 | 4MB | 58.0.2 | 32-bit |
| Macintosh Performa 6200CD | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 6205CD | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 6210CD | J-7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 6214CD | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 6216CD | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 6218CD | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 6220CD | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 6230CD | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 6260CD | J-7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 6290CD | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 630 and 630CD | 7.1.2P | System Enabler 405 | <input type="checkbox"/> | \$067C | \$21 | 1MB | 57.0.4 | 32-bit |
| Macintosh Performa 6300CD | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 630CD DOS Compatible | 7.5.1 | none | <input type="checkbox"/> | \$067C | \$32 | 1MB | 58.1.3 | 32-bit |
| Macintosh Performa 6310CD | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 631CD | 7.5.1 | none | <input type="checkbox"/> | \$067C | \$21 | 1MB | 57.0.4 | 32-bit |
| Macintosh Performa 6320CD | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | 58.1.3 | 32-bit |
| Macintosh Performa 635CD | 7.1.2P | System Enabler 405 | <input type="checkbox"/> | \$067C | \$21 | 1MB | 57.0.4 | 32-bit |
| Macintosh Performa 636 and 636CD | 7.1.2P | System Enabler 405 | <input type="checkbox"/> | \$067C | \$21 | 1MB | 57.0.4 | 32-bit |
| Macintosh Performa 6360 | 7.5.3 | System Enabler 410 | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Macintosh Performa 637CD | 7.1.2P | System Enabler 405 | <input type="checkbox"/> | \$067C | \$21 | 1MB | 57.0.4 | 32-bit |
| Macintosh Performa 638CD | 7.1.2P | System Enabler 405 | <input type="checkbox"/> | \$067C | \$21 | 1MB | 57.0.4 | 32-bit |
| Macintosh Performa 6400/180 | 7.5.3 | System Enabler 410 v1.1 | <input checked="" type="checkbox"/> | \$077D | \$29 | 4MB | 58.1.5 | 32-bit |

Software

| Name | Original System Software | Original Enabler | Speech Recog'n Supported | ROM ID | ROM Version | ROM Size | Original AppleLink Version | Addr. Modes |
|--|--------------------------|---------------------------------|-------------------------------------|--------|-------------|----------|----------------------------|-------------|
| Macintosh Performa 6400/200 | 7.5.3 | System Enabler 410 v1.1 | <input checked="" type="checkbox"/> | \$077D | \$29 | 4MB | 58.1.5 | 32-bit |
| Macintosh Performa 640CD DOS Compatible | 7.5.1 | none | <input type="checkbox"/> | \$067C | \$32 | 1MB | 58.1.3 | 32-bit |
| Macintosh Performa 6410 | 7.5.3 | System Enabler 410 v1.1 | <input checked="" type="checkbox"/> | \$077D | \$29 | 4MB | 58.1.5 | 32-bit |
| Macintosh Performa 6420 | 7.5.3 | System Enabler 410 v1.1 | <input checked="" type="checkbox"/> | \$077D | \$29 | 4MB | 58.1.5 | 32-bit |
| Macintosh Plus | 1.1 | none | <input type="checkbox"/> | \$0075 | \$6000 | 128K | 19 | 24-bit |
| Macintosh Portable | 6.0.4 | none | <input type="checkbox"/> | \$0378 | n/a | 256K | 52 | 24-bit |
| Macintosh PowerBook 100 | 7.0.1 | none | <input type="checkbox"/> | \$037A | n/a | 256K | 52 | 24-bit |
| Macintosh PowerBook 140 | 7.0.1 | none | <input type="checkbox"/> | \$067C | n/a | 1MB | 56.0.2 | 24-, 32-bit |
| Macintosh PowerBook 1400c/117 | 7.5.3 | PowerBook 1400 Enabler | <input checked="" type="checkbox"/> | \$077D | \$32 | 4MB | 58.1.6 | 32-bit |
| Macintosh PowerBook 1400c/133 | 7.5.3 | PowerBook 1400 Enabler | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Macintosh PowerBook 1400c/166 | 7.6.1 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Macintosh PowerBook 1400cs/117 | 7.5.3 | PowerBook 1400 Enabler | <input checked="" type="checkbox"/> | \$077D | \$32 | 4MB | 58.1.6 | 32-bit |
| Macintosh PowerBook 1400cs/133 | 7.6.1 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Macintosh PowerBook 1400cs/166 | 8.0 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Macintosh PowerBook 145 | 7.0.1 | none | <input type="checkbox"/> | \$067C | n/a | 1MB | 56.0.2 | 24-, 32-bit |
| Macintosh PowerBook 145B | 7.1 | none | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh PowerBook 150 | 7.1.1 | PowerBook 150 Enabler | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 32-bit |
| Macintosh PowerBook 160 | 7.1 | System Enabler 111 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh PowerBook 165 | 7.1 | System Enabler 131 v1.0.3 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh PowerBook 165c | 7.1 | System Enabler 121 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh PowerBook 170 | 7.0.1 | none | <input type="checkbox"/> | \$067C | n/a | 1MB | 56.0.2 | 24-, 32-bit |
| Macintosh PowerBook 180 | 7.1 | System Enabler 111 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh PowerBook 180c | 7.1 | System Enabler 131 v1.0 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh PowerBook 190/66 | 7.5.2 | PowerBook 5300/190 Enabler v1.1 | <input type="checkbox"/> | \$077D | \$2B | 2MB | 58.1.6 | 32-bit |
| Macintosh PowerBook 190cs/66 | 7.5.2 | PowerBook 5300/190 Enabler v1.1 | <input type="checkbox"/> | \$077D | \$2B | 2MB | 58.1.6 | 32-bit |
| Macintosh PowerBook 2400c/180 | 7.6.1 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Macintosh PowerBook 2400c/240 | 8.1J | none | <input checked="" type="checkbox"/> | n/a | n/a | 4MB | n/a | 32-bit |
| Macintosh PowerBook 3400c/180 | 7.6 | PowerBook 3400 Enabler | <input checked="" type="checkbox"/> | \$077D | \$36 | 4MB | 60.1.1 | 32-bit |
| Macintosh PowerBook 3400c/200 | 7.6 | PowerBook 3400 Enabler | <input checked="" type="checkbox"/> | \$077D | \$36 | 4MB | 60.1.1 | 32-bit |
| Macintosh PowerBook 3400c/240 | 7.6 | PowerBook 3400 Enabler | <input checked="" type="checkbox"/> | \$077D | \$36 | 4MB | 60.1.1 | 32-bit |
| Macintosh PowerBook 500 with PowerPC | 7.5.2 | PowerBook 5300/2300/190 Enabler | <input type="checkbox"/> | \$077D | \$2A | 4MB | 58.1.6 | 32-bit |
| Macintosh PowerBook 520 | 7.1.1 | PowerBook 500 Series Enabler | <input type="checkbox"/> | n/a | n/a | 2MB | 57.0.4 | 32-bit |
| Macintosh PowerBook 520c | 7.1.1 | PowerBook 500 Series Enabler | <input type="checkbox"/> | n/a | n/a | 2MB | 57.0.4 | 32-bit |
| Macintosh PowerBook 5300/100 | 7.5.2 | PowerBook 5300 Enabler | <input checked="" type="checkbox"/> | \$077D | \$27 | 4MB | 58.1.6 | 32-bit |
| Macintosh PowerBook 5300c/100 | 7.5.2 | PowerBook 5300 Enabler | <input checked="" type="checkbox"/> | \$077D | \$27 | 4MB | 58.1.6 | 32-bit |
| Macintosh PowerBook 5300ce/117 | 7.5.2 | PowerBook 5300 Enabler | <input checked="" type="checkbox"/> | \$077D | \$27 | 4MB | 58.1.6 | 32-bit |
| Macintosh PowerBook 5300cs/100 | 7.5.2 | PowerBook 5300 Enabler | <input checked="" type="checkbox"/> | \$077D | \$27 | 4MB | 58.1.6 | 32-bit |
| Macintosh PowerBook 540 | 7.1.1 | PowerBook 500 Series Enabler | <input type="checkbox"/> | n/a | n/a | 2MB | 57.0.4 | 32-bit |
| Macintosh PowerBook 540c | 7.1.1 | PowerBook 500 Series Enabler | <input type="checkbox"/> | n/a | n/a | 2MB | 57.0.4 | 32-bit |
| Macintosh PowerBook 550c | J-7.5 | PowerBook 550c Enabler | <input type="checkbox"/> | \$067C | \$30 | 2MB | 58.1.3 | 32-bit |
| Macintosh PowerBook Duo 210 | 7.1 | System Enabler 201 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh PowerBook Duo 230 | 7.1 | System Enabler 201 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh PowerBook Duo 2300c/100 | 7.5.2 | PowerBook 5300/2300/190 Enabler | <input checked="" type="checkbox"/> | \$077D | \$2A | 4MB | 58.1.6 | 32-bit |
| Macintosh PowerBook Duo 250 | 7.1 | PowerBook Duo Enabler v1.0 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh PowerBook Duo 270c | 7.1 | PowerBook Duo Enabler v1.0 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh PowerBook Duo 280 | 7.1.1 | PowerBook Duo Enabler v2.0 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh PowerBook Duo 280c | 7.1.1 | PowerBook Duo Enabler v2.0 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh PowerBook G3 | 8.0 | | <input checked="" type="checkbox"/> | | \$077D | 3072K | 60.2 | 32-bit |
| Macintosh Quadra 605 | 7.1 | System Enabler 065 | <input type="checkbox"/> | \$067C | n/a | 512k* | 57.0.4 | 24-, 32-bit |
| Macintosh Quadra 610 | 7.1 | System Enabler 040 v1.1 | <input type="checkbox"/> | \$067C | \$23 | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Quadra 610 DOS Compatible | 7.1 | System Enabler 040 v1.1 | <input type="checkbox"/> | \$067C | \$23 | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Quadra 630 | 7.1.2P | System Enabler 405 | <input type="checkbox"/> | \$067C | \$21 | 1MB | 57.0.4 | 32-bit |
| Macintosh Quadra 650 | 7.1 | System Enabler 040 v1.1 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Quadra 660AV | 7.1 | System Enabler 088 v1.1 | <input checked="" type="checkbox"/> | \$077D | \$10 | 2MB | 57.0.5 | 32-bit |
| Macintosh Quadra 700 | 7.0.1 | none | <input type="checkbox"/> | \$067C | n/a | 1MB | 56.0.2 | 24-, 32-bit |
| Macintosh Quadra 800 | 7.1 | System Enabler 040 v1.0 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh Quadra 840AV | 7.1 | System Enabler 088 v1.0 | <input checked="" type="checkbox"/> | \$077D | n/a | 2MB | 57.0.5 | 32-bit |
| Macintosh Quadra 900 | 7.0.1 | none | <input type="checkbox"/> | \$067C | n/a | 1MB | 56.0.2 | 24-, 32-bit |
| Macintosh Quadra 950 | 7.0.1 | none | <input type="checkbox"/> | \$067C | n/a | 1MB | 56.0.2 | 24-, 32-bit |
| Macintosh SE | 2.0 | none | <input type="checkbox"/> | \$0276 | 0 | 256K | 48 | 24-bit |
| Macintosh SE FDHD | 6.0.3 | none | <input type="checkbox"/> | \$037A | 0 | 256K | 48 | 24-bit |
| Macintosh SE/30 | 6.0.3 | none | <input type="checkbox"/> | \$0178 | n/a | 256K | 49 | 24-bit |
| Macintosh Server G3 | 8.1 | | <input type="checkbox"/> | | | | | 32-bit |
| Macintosh Server G4 with AppleShare IP | 9.0.4 | n/a | <input type="checkbox"/> | n/a | n/a | | | 32-bit |
| Macintosh Server G4 with Mac OS X Server | 9.0.4 | n/a | <input type="checkbox"/> | n/a | n/a | | | 32-bit |
| Macintosh TV | 7.1 | System Enabler 404 | <input type="checkbox"/> | \$067C | n/a | 1MB | 57.0.4 | 24-, 32-bit |
| Macintosh XL | MacWorks | none | <input type="checkbox"/> | n/a | n/a | 16K | none | 24-bit |
| Motorola StarMax 3000/160 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Motorola StarMax 3000/180 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Motorola StarMax 3000/200 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Motorola StarMax 3000/240 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Motorola StarMax 4000/160 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Motorola StarMax 4000/200 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Motorola StarMax 5000/225 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Motorola StarMax 5000/250 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Motorola StarMax 5000/275 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Motorola StarMax 5000/300 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Motorola StarMax 5500/200 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |

| Name | Original System Software | Original Enabler | Speech Recog'n Supported | ROM ID | ROM Version | ROM Size | Original AppleLink Version | Addr. Modes |
|---|--------------------------|--------------------|-------------------------------------|--------|-------------|----------|----------------------------|-------------|
| Network Server 500/132 | AIX 4.1.4 | n/a | <input type="checkbox"/> | n/a | n/a | n/a | n/a | 32-bit |
| Network Server 700/150 | AIX 4.1.4 | n/a | <input type="checkbox"/> | n/a | n/a | n/a | n/a | 32-bit |
| Network Server 700/200 | AIX 4.1.4 | n/a | <input type="checkbox"/> | n/a | n/a | n/a | n/a | 32-bit |
| Newton MessagePad 100 | NOS 1.0 | | <input type="checkbox"/> | | | | | 32-bit |
| Newton MessagePad 110 | NOS 1.0 | | <input type="checkbox"/> | | | | | 32-bit |
| Newton MessagePad 120a | NOS 1.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Newton MessagePad 120b | NOS 1.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Newton MessagePad 130 | NOS 2.0 | | <input type="checkbox"/> | | | | | 32-bit |
| Newton MessagePad 2000 | NOS 2.0 | | <input type="checkbox"/> | | | | | 32-bit |
| Newton MessagePad 2100 | NOS 2.1 | | <input type="checkbox"/> | | | | | 32-bit |
| Newton MessagePad (Original MessagePad | NOS 1.0 | | <input type="checkbox"/> | | | | | 32-bit |
| NeXT Cube | NeXTStep | | <input type="checkbox"/> | | | 128K | | 32-bit |
| NeXTcube | NeXTStep | | <input type="checkbox"/> | | | 128K | | 32-bit |
| NeXTdimension | NeXTStep | | <input type="checkbox"/> | | | | | 32-bit |
| NeXTstation | NeXTStep | | <input type="checkbox"/> | | | | | 32-bit |
| NeXTstation Color | NeXTStep | | <input type="checkbox"/> | | | | | 32-bit |
| Pippin | | | <input type="checkbox"/> | | | | | 32-bit |
| Power Computing Power 100 Desktop | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing Power 100 Tower | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing Power 120 Desktop | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing Power 120 Tower | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing Power 80 Desktop | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing Power 80 Tower | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerBase 180 Low | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerBase 180 Tower | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerBase 200 Low | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerBase 200 Tower | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerBase 240 Low | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerBase 240 Tower | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 120 Desktop | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 120 Low | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 120 Tower | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 132 Desktop | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 132 Low | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 132 Tower | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 140 Low | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 140 Tower | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 150 Desktop | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 166 Desktop | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 166 Low | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 166 Tower | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 180 Desktop | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 180 Low | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 180 Tower | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 210 Desktop | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 210 Low | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter 210 Tower | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter Pro 180 | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter Pro 180 | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter Pro 210 | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter Pro 210 | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter Pro 240 | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCenter Pro 240 | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerCurve 120 | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerTower 166 | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerTower 180 | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerTower 200 | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerTower Pro 180 | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerTower Pro 200 | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerTower Pro 225 | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerTower Pro 250 | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerWave 120 Desktop | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerWave 120 Tower | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerWave 132 Desktop | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerWave 132 Tower | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerWave 150 Desktop | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Computing PowerWave 150 Tower | 7.5.3 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Mac G4 - AGP Graphics | 8.6 | n/a | <input type="checkbox"/> | n/a | | | | 32-bit |
| Power Mac G4 Cube | 9.0.4 | n/a | <input type="checkbox"/> | n/a | n/a | | | 32-bit |
| Power Mac G4 (Digital Audio) | 9.1 | n/a | <input type="checkbox"/> | n/a | n/a | | | 32-bit |
| Power Mac G4 (Gigabit Ethernet) | 9.0.4 | n/a | <input type="checkbox"/> | n/a | n/a | | | 32-bit |
| Power Mac G4 (Mirrored Drive Doors - Late | 10.2 | n/a | <input type="checkbox"/> | n/a | n/a | | | 32-bit |
| Power Mac G4 - PCI Graphics | 8.5.1 | n/a | <input type="checkbox"/> | n/a | 1.2 | 1 MB | n/a | 32-bit |
| Power Mac G4 (Quick Silver) | 9.1 | n/a | <input type="checkbox"/> | n/a | n/a | | | 32-bit |
| Power Mac G4 (Quick Silver - Early 2002) | 9.1 | n/a | <input type="checkbox"/> | n/a | n/a | | | 32-bit |
| Power Macintosh 4400/160 | 7.5.3 | System Enabler 827 | <input checked="" type="checkbox"/> | \$077D | \$37 | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 4400/200 | 7.5.3 | System Enabler 827 | <input checked="" type="checkbox"/> | \$077D | \$3A | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 4400/200 PC Compatible | 7.5.3 | System Enabler 827 | <input checked="" type="checkbox"/> | \$077D | \$3A | 4MB | 60.1.1 | 32-bit |

| Name | Original System Software | Original Enabler | Speech Recog'n Supported | ROM ID | ROM Version | ROM Size | Original AppleLink Version | Addr. Modes |
|--|--------------------------|-------------------------------|-------------------------------------|--------|-------------|----------|----------------------------|-------------|
| Power Macintosh 475/605 | 7.5 | 601 Processor Upgrade Enabler | <input type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Power Macintosh 5200/75 LC | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Power Macintosh 5260/100 | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Power Macintosh 5260/120 | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Power Macintosh 5300/100 LC | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Power Macintosh 5400/120 | 7.5.3 | System Enabler 410 | <input checked="" type="checkbox"/> | \$077D | \$29 | 4MB | 60.1.0 | 32-bit |
| Power Macintosh 5400/180 | 7.5.3 | System Enabler 410 | <input checked="" type="checkbox"/> | \$077D | \$29 | 4MB | 58.1.5 | 32-bit |
| Power Macintosh 5400/200 | 7.5.5 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Power Macintosh 5500/225 | 7.5.5 | System Enabler 411 | <input checked="" type="checkbox"/> | \$077D | \$35 | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 5500/250 | 7.5.5 | System Enabler 411 | <input checked="" type="checkbox"/> | \$077D | \$35 | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 575 | 7.5 | 601 Processor Upgrade Enabler | <input type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Power Macintosh 580 | 7.5 | 601 Processor Upgrade Enabler | <input type="checkbox"/> | \$077D | \$24 | 4MB | 58.1.3 | 32-bit |
| Power Macintosh 6100/60 | 7.1.2 | PowerPC Enabler v1.0 | <input checked="" type="checkbox"/> | \$077D | \$A4 | 4MB | 58.0.2 | 32-bit |
| Power Macintosh 6100/60AV | 7.1.2 | PowerPC Enabler v1.0 | <input checked="" type="checkbox"/> | \$077D | \$A4 | 4MB | 58.0.2 | 32-bit |
| Power Macintosh 6100/66 | 7.5 | PowerPC Enabler v1.1.1 | <input checked="" type="checkbox"/> | \$077D | \$20 | 4MB | n/a | 32-bit |
| Power Macintosh 6100/66 DOS Compatible | 7.5 | PowerPC Enabler v1.1.1 | <input checked="" type="checkbox"/> | \$077D | \$20 | 4MB | n/a | 32-bit |
| Power Macintosh 6100/66AV | 7.5 | PowerPC Enabler v1.1.1 | <input checked="" type="checkbox"/> | \$077D | \$20 | 4MB | n/a | 32-bit |
| Power Macintosh 6200/75 | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | \$26 | 4MB | 58.1.3 | 32-bit |
| Power Macintosh 630 | 7.5 | 601 Processor Upgrade Enabler | <input type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Power Macintosh 6300/120 | 7.5.1 | System Enabler 406 | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | 58.1.3 | 32-bit |
| Power Macintosh 6300/160 | 7.5.3 | System Enabler 410 | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Power Macintosh 6400/180 | 7.5.3 | System Enabler 410 v1.1 | <input checked="" type="checkbox"/> | \$077D | \$29 | 4MB | 58.1.5 | 32-bit |
| Power Macintosh 6400/200 | 7.5.3 | System Enabler 410 v1.1 | <input checked="" type="checkbox"/> | \$077D | \$29 | 4MB | 58.1.5 | 32-bit |
| Power Macintosh 6500/225 | 7.5.5 | System Enabler 411 | <input checked="" type="checkbox"/> | \$077D | \$35 | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 6500/250 | 7.5.5 | System Enabler 411 | <input checked="" type="checkbox"/> | \$077D | \$35 | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 6500/275 | 7.6.1 | n/a | <input checked="" type="checkbox"/> | \$077D | \$35 | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 6500/300 | 7.6.1 | n/a | <input checked="" type="checkbox"/> | \$077D | \$35 | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 700 | 7.1.2 | PowerPC Upgrade Card Enabler | <input type="checkbox"/> | \$077D | n/a | 4MB | 58.0.2 | 32-bit |
| Power Macintosh 7100/66 | 7.1.2 | PowerPC Enabler v1.0 | <input checked="" type="checkbox"/> | \$077D | \$A4 | 4MB | 58.0.2 | 32-bit |
| Power Macintosh 7100/66AV | 7.1.2 | PowerPC Enabler v1.0 | <input checked="" type="checkbox"/> | \$077D | \$A4 | 4MB | 58.0.2 | 32-bit |
| Power Macintosh 7100/80 | 7.5 | PowerPC Enabler v1.1.1 | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Power Macintosh 7100/80AV | 7.5 | PowerPC Enabler v1.1.1 | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | n/a | 32-bit |
| Power Macintosh 7200/120 | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.1.0 | 32-bit |
| Power Macintosh 7200/120 PC Compatible | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.1.0 | 32-bit |
| Power Macintosh 7200/75 | 7.5.2 | System Enabler 701 v1.1 | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.0.6 | 32-bit |
| Power Macintosh 7200/90 | 7.5.2 | System Enabler 701 v1.1 | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.0.6 | 32-bit |
| Power Macintosh 7215/90 | J-7.5.2 | System Enabler 701 v1.1 | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.0.6 | 32-bit |
| Power Macintosh 7220/200 | 7.5.3 | System Enabler 827 | <input checked="" type="checkbox"/> | \$077D | \$3A | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 7220/200 PC Compatible | 7.5.3 | System Enabler 827 | <input checked="" type="checkbox"/> | \$077D | \$3A | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 7300/166 | 7.5.5 | System Enabler 702 | <input checked="" type="checkbox"/> | \$077D | \$34 | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 7300/180 | 7.5.5 | System Enabler 702 | <input checked="" type="checkbox"/> | \$077D | \$34 | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 7300/180 PC Compatible | 7.6.1 | none | <input checked="" type="checkbox"/> | \$077D | \$34 | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 7300/200 | 7.5.5 | System Enabler 702 | <input checked="" type="checkbox"/> | \$077D | \$34 | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 7500/100 | 7.5.2 | System Enabler 701 v1.2 | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.0.6 | 32-bit |
| Power Macintosh 7600/120 | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.1.0 | 32-bit |
| Power Macintosh 7600/132 | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.1.0 | 32-bit |
| Power Macintosh 7600/200 | 7.5.5 | System Enabler 702 | <input checked="" type="checkbox"/> | \$077D | \$34 | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 800 | 7.1.2 | PowerPC Upgrade Card Enabler | <input type="checkbox"/> | \$077D | n/a | 4MB | 58.0.2 | 32-bit |
| Power Macintosh 8100/100 | 7.5 | PowerPC Enabler v1.1.1 | <input checked="" type="checkbox"/> | \$077D | \$23 | 4MB | n/a | 32-bit |
| Power Macintosh 8100/100AV | 7.5 | PowerPC Enabler v1.1.1 | <input checked="" type="checkbox"/> | \$077D | \$23 | 4MB | n/a | 32-bit |
| Power Macintosh 8100/110 | 7.5 | PowerPC Enabler v1.1.1 | <input checked="" type="checkbox"/> | \$077D | \$23 | 4MB | 58.1.3 | 32-bit |
| Power Macintosh 8100/80 | 7.1.2 | PowerPC Enabler v1.0 | <input checked="" type="checkbox"/> | \$077D | \$A4 | 4MB | 58.0.2 | 32-bit |
| Power Macintosh 8100/80AV | 7.1.2 | PowerPC Enabler v1.0 | <input checked="" type="checkbox"/> | \$077D | \$A4 | 4MB | 58.0.2 | 32-bit |
| Power Macintosh 8115/110 | J-7.5 | PowerPC Enabler v1.1.1 | <input checked="" type="checkbox"/> | \$077D | \$23 | 4MB | 58.1.3 | 32-bit |
| Power Macintosh 8200/100 | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.1.0 | 32-bit |
| Power Macintosh 8200/120 | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.1.0 | 32-bit |
| Power Macintosh 8500/120 | 7.5.2 | System Enabler 701 v1.2 | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.0.6 | 32-bit |
| Power Macintosh 8500/132 | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.1.0 | 32-bit |
| Power Macintosh 8500/150 | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.1.0 | 32-bit |
| Power Macintosh 8500/180 | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.1.0 | 32-bit |
| Power Macintosh 8515/120 | J-7.5.2 | System Enabler 701 v1.2 | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.0.6 | 32-bit |
| Power Macintosh 8600/200 | 7.5.5 | System Enabler 702 | <input checked="" type="checkbox"/> | \$077D | \$34 | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 8600/250 | 7.6.1 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 8600/300 | 7.6.1 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 900 | 7.1.2 | PowerPC Upgrade Card Enabler | <input type="checkbox"/> | \$077D | n/a | 4MB | 58.0.2 | 32-bit |
| Power Macintosh 950 | 7.1.2 | PowerPC Upgrade Card Enabler | <input type="checkbox"/> | \$077D | n/a | 4MB | 58.0.2 | 32-bit |
| Power Macintosh 9500/120 | 7.5.2 | System Enabler 701 v1.0 | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.0.0 | 32-bit |
| Power Macintosh 9500/132 | 7.5.2 | System Enabler 701 v1.0 | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.0.0 | 32-bit |
| Power Macintosh 9500/150 | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.1.0 | 32-bit |
| Power Macintosh 9500/180MP | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.1.0 | 32-bit |
| Power Macintosh 9500/200 | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.1.0 | 32-bit |
| Power Macintosh 9515/132 | J-7.5.2 | System Enabler 701 vJ-1.0 | <input checked="" type="checkbox"/> | \$077D | \$28 | 4MB | 60.0.0 | 32-bit |
| Power Macintosh 9600/200 | 7.5.5 | System Enabler 702 | <input checked="" type="checkbox"/> | \$077D | \$34 | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 9600/200MP | 7.5.5 | System Enabler 702 | <input checked="" type="checkbox"/> | \$077D | \$34 | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 9600/233 | 7.5.5 | System Enabler 702 | <input checked="" type="checkbox"/> | \$077D | \$34 | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 9600/300 | 7.6.1 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | 60.1.1 | 32-bit |
| Power Macintosh 9600/350 | 7.6.1 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | 60.1.1 | 32-bit |
| Power Macintosh C610 | 7.1.2 | PowerPC Upgrade Card Enabler | <input type="checkbox"/> | \$077D | n/a | 4MB | 58.0.2 | 32-bit |

| Name | Original System Software | Original Enabler | Speech Recog'n Supported | ROM ID | ROM Version | ROM Size | Original Apple Version | Addr. Modes |
|--|--------------------------|------------------------------|-------------------------------------|--------|-------------|----------|------------------------|-------------|
| Power Macintosh C650 | 7.1.2 | PowerPC Upgrade Card Enabler | <input type="checkbox"/> | \$077D | n/a | 4MB | 58.0.2 | 32-bit |
| Power Macintosh G3 All-In-One | 8.0 | | <input type="checkbox"/> | | | 4MB | | 32-bit |
| Power Macintosh G3 (Blue and White) | 8.5.1 | n/a | <input type="checkbox"/> | | 1.2 | 1 MB | | 32-bit |
| Power Macintosh G3 Desktop | 8.0 | | <input checked="" type="checkbox"/> | \$0770 | 1917 | 4MB | 60.2 | 32-bit |
| Power Macintosh G3 Mini Tower | 8.0 | | <input checked="" type="checkbox"/> | \$0770 | 1917 | 4MB | 60.2 | 32-bit |
| Power Macintosh Q610 | 7.1.2 | PowerPC Upgrade Card Enabler | <input type="checkbox"/> | \$077D | n/a | 4MB | 58.0.2 | 32-bit |
| Power Macintosh Q650 | 7.1.2 | PowerPC Upgrade Card Enabler | <input type="checkbox"/> | \$077D | n/a | 4MB | 58.0.2 | 32-bit |
| PowerBook Duo Dock II | n/a | n/a | <input type="checkbox"/> | n/a | n/a | n/a | n/a | n/a |
| PowerBook Duo Dock Plus | n/a | n/a | <input type="checkbox"/> | n/a | n/a | n/a | n/a | n/a |
| PowerBook G3 (FireWire) | 9.0 | n/a | <input checked="" type="checkbox"/> | n/a | n/a | 4 MB | n/a | 32-bit |
| PowerBook G3 Series 12.1" (233, 250 MHz) | 8.1 | PowerBook G3 Series 1.0 | <input checked="" type="checkbox"/> | n/a | n/a | 4MB | n/a | 32-bit |
| PowerBook G3 Series 12.1" (233 MHz) | 8.1 | PowerBook G3 Series 1.1 | <input checked="" type="checkbox"/> | n/a | n/a | 4 MB | n/a | 32-bit |
| PowerBook G3 Series 13.3" (233, 250, 292 | 8.1 | PowerBook G3 Series 1.0 | <input checked="" type="checkbox"/> | n/a | n/a | 4 MB | n/a | 32-bit |
| PowerBook G3 Series 14.1" (233, 250, 292 | 8.1 | PowerBook G3 Series 1.0 | <input checked="" type="checkbox"/> | n/a | n/a | 4 MB | n/a | 32-bit |
| PowerBook G3 Series 14.1" (233, 266, 300 | 8.1 | PowerBook G3 Series 1.1 | <input checked="" type="checkbox"/> | n/a | n/a | 4 MB | n/a | 32-bit |
| PowerBook G3 Series (Bronze Keyboard, | 8.6 | | <input checked="" type="checkbox"/> | | | | | 32-bit |
| PowerBook G3 Series (Bronze Keyboard, | 8.6 | | <input checked="" type="checkbox"/> | | | | | 32-bit |
| PowerBook G4 | 9.1 | | <input checked="" type="checkbox"/> | | | | | 32-bit |
| PowerBook G4 (12") | OS X.2.3 & | | <input checked="" type="checkbox"/> | | | | | 32-bit |
| PowerBook G4 (17") | OS X.2.3 & | | <input checked="" type="checkbox"/> | | | | | 32-bit |
| PowerBook G4 (Early 2002) | OS X & | | <input checked="" type="checkbox"/> | | | | | 32-bit |
| PowerBook G4 (Late 2001) | 9.2.1 | | <input checked="" type="checkbox"/> | | | | | 32-bit |
| PowerBook G4 (Late 2002) | OS X & | | <input checked="" type="checkbox"/> | | | | | 32-bit |
| Radius System 100/110 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Radius System 100/80 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Radius System 81/110 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Twentieth Anniversary Macintosh | 7.6.1 | System Enabler 704 | <input checked="" type="checkbox"/> | \$077D | \$35 | 4MB | 60.1.1 | 32-bit |
| Umax SuperMac C500/140 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac C500/160 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac C500/180 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac C500/200 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac C500/240 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac C600/180 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac C600/200 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac C600/240 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac C600/280 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac C600x/240 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac C600x/280 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac J700/150 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac J700/180 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac J700/233 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac J710/200 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac J710/G3 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac S900/150 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac S900/180 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac S900/180DP | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac S900/200 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac S900/200DP | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac S900/225 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac S900/233 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac S900/250 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac S900/250DP | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac S900/G3 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Umax SuperMac S910 | 7.5.3 | | <input type="checkbox"/> | | | | | 32-bit |
| Workgroup Server 60 | 7.1 | System Enabler 040 v1.1 | <input type="checkbox"/> | \$067C | \$23 | 1MB | 57.0.4 | 24-, 32-bit |
| Workgroup Server 60 (50/25 MHz) | 7.1 | System Enabler 040 v1.1 | <input type="checkbox"/> | \$067C | \$23 | 1MB | 57.0.4 | 24-, 32-bit |
| Workgroup Server 6150 | 7.1.2 | PowerPC Enabler v1.0 | <input checked="" type="checkbox"/> | \$077D | \$A4 | 4MB | 58.0.2 | 32-bit |
| Workgroup Server 6150/66 | 7.5.1 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | 58.1.5 | 32-bit |
| Workgroup Server 7250/120 | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | 60.1.0 | 32-bit |
| Workgroup Server 7350/180 | 7.6.1 | none | <input checked="" type="checkbox"/> | \$077D | \$34 | 4MB | n/a | 32-bit |
| Workgroup Server 80 | 7.1 | System Enabler 040 v1.1 | <input type="checkbox"/> | \$067C | \$23 | 1MB | 57.0.4 | 24-, 32-bit |
| Workgroup Server 8150 | 7.1.2 | PowerPC Enabler v1.0 | <input checked="" type="checkbox"/> | \$077D | \$20 | 4MB | 58.0.2 | 32-bit |
| Workgroup Server 8150/110 | 7.5.1 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | 58.1.5 | 32-bit |
| Workgroup Server 8550/132 | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | 60.1.0 | 32-bit |
| Workgroup Server 8550/200 | 7.5.3 | none | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | 60.1.0 | 32-bit |
| Workgroup Server 9150 | 7.1.2 | 9150 v1.0 | <input type="checkbox"/> | \$077D | n/a | 4MB | 58.0.2 | 32-bit |
| Workgroup Server 9150/120 | 7.5.1 | Workgroup Server Enabler | <input type="checkbox"/> | \$077D | \$25 | 4MB | 58.1.5 | 32-bit |
| Workgroup Server 95 | A/UX 3.0.1 | none | <input type="checkbox"/> | \$067C | \$17 | 1MB | 57.0.4 | 24-, 32-bit |
| Workgroup Server 9650/233 | 7.6.1 | none | <input checked="" type="checkbox"/> | \$077D | \$34 | 4MB | n/a | 32-bit |
| Workgroup Server 9650/350 | 7.6.1 | n/a | <input checked="" type="checkbox"/> | \$077D | n/a | 4MB | 60.1.1 | 32-bit |
| Xserve | OSX | | <input type="checkbox"/> | | | | | 32-bit |