
LocalTalk Cabling System



Overview

The LocalTalk[™] Cabling System is a reliable, user-configurable cabling option for linking computers and peripheral devices in an AppleTalk[®] Network System. When used with the AppleShare[™] file server, it gives you efficient access to information from other users' computers, and allows you to share peripherals

such as the Apple® LaserWriter® printer cost-effectively.

Unlike traditional networking systems, LocalTalk requires no complicated installation procedures. Because LocalTalk capability is already built into every Macintosh® and Apple IIGS® computer, and the LaserWriter printer, you can set up a LocalTalk Cabling System in minutes. You can also connect IBM PCs and other MS-DOS-compatible systems to LocalTalk, using the AppleTalk PC Card.

The LocalTalk Cabling System features cables and connectors with locking mechanisms that prevent accidental disconnections.



Features	Benefits
Easy-to-use modular design	 Snaps together in minutes.
 Locking connectors 	Prevent cables from becoming accidentally disconnected from connector drop boxes.
► No complicated configuration rules	► Lets you set up a network, add or

Lets you set up a network, add or
remove users, and make other changes
quickly and easily.

quickly and easily.	
Allows an entire workgroup to exchange information, access multiuser applications, and share peripherals.	
Allows workgroups to be extended.	
Provides an economical networking solution.	
 Works with a variety of computers, including the Macintosh family, the Apple IIGs, and MS-DOS computers such as the IBM PC.* Encourages development of a wide range of Apple and third-party products that adhere to this standard. 	
 Lets dozens of users share an Apple LaserWriter, ImageWriter[®] II, or ImageWriter LQ printer.* Works with the Apple LaserShare[™] print spooler to give you even greater printing efficiency. 	
 With the AppleShare file server, gives simultaneous access to applications and data files. Works with other useful data communications products such as disk servers and electronic mail programs. 	
• Lets you add additional products to create bridges between AppleTalk net- works or gateways to other networking environments (such as SNA or Ethernet).	

* MS-DOS computers as well as ImageWriter II and ImageWriter LQ printers require appropriate interface cards.

System Requirements	To use the LocalTalk Cabling System, you'll need one of the following systems:	► At least one Apple Macintosh or Apple IIGs personal computer, or an MS-DOS computer with AppleTalk PC Card, plus a shared system resource (such as an Apple LaserWriter printer)	 At least two Macintosh or Apple IIGs personal computers, or MS-DOS computers with AppleTalk PC Cards
Technical Specifications	Topology ► Serial bus	Signal encoding ▶ FM0 (biphase space)	Architecture ▶ Open
	Wiring ▶ Shielded ▶ Twisted-pair	Frame format ▶ SDLC (Synchronous Data Link Control)	 Connection ▶ Passive drops Access method ▶ Carrier-sense multiple-access with collision avoidance (CSMA/CA)
	Signaling standard ► EIA standard RS-422, balanced voltage	Maximum number of connections per network segment	
	Signaling speed ► 230.4 kilobits/second	 32 Node identification Solf coeffiguring to user 	

 Self-configuring; no user action required



Ordering Information LocalTalk Locking Connector Kit—DIN-8 Order No. M2068 LocalTalk Locking Connector Kit—DB-9 Order No. M2065 LocalTalk Locking Cable Kit—10 Meter Order No. M2066 LocalTalk Locking Cable Kit—25 Meter Order No. M2069 LocalTalk Locking Cable Kit—25 Meter Order No. M2069 LocalTalk Custom Wiring Kit Order No. M2070 ImageWriter II/LQ AppleTalk Option Order No. A9B0313	Connector Kit-DIN-8	For use with the Macintosh Plus, Macintosh SE, Macintosh II, Apple IIGs, and some network peripherals	 With your order, you'll receive. ▶ 1 LocalTalk connector with mini-circular 8-pin plug ▶ 2 meters of LocalTalk cable ▶ 1 cable-extender plug ▶ Installation and operating manual ▶ Limited warranty statement
	Connector Kit—DB-9	For use with the Macintosh 128K, Macintosh 512K, Macintosh 512K Enhanced, and some network peripherals	 With your order, you'll receive: ▶ 1 LocalTalk connector with DB-9 plug ▶ 2 meters of LocalTalk cable ▶ 1 cable-extender plug ▶ Installation and operating manual ▶ Limited warranty statement
	Cable Kit—10 Meter		With your order, you'll receive: ▶ 10 meters of LocalTalk cable ▶ 1 cable-extender plug ▶ Limited warranty statement
	Cable Kit—25 Meter		With your order, you'll receive: ▶ 25 meters of LocalTalk cable ▶ 1 cable-extender plug ▶ Limited warranty statement
		 With your order, you'll receive: ▶ 100 meters of LocalTalk cable ▶ 20 preassembled plugs ▶ 20 cable-splicing mechanisms ▶ 4 cable-extender plugs ▶ Installation instructions ▶ Limited warranty statement 	
	AppleTalk Option	To connect an ImageWriter II or ImageWriter LQ printer to a LocalTalk network	With your order, you'll receive: ► ImageWriter II/LQ AppleTalk Option Card ► 1 disk (printer drivers) ► User's guide ► Limited warranty statement
	AppleTalk PC Card Order No. M2050	To connect an IBM PC or other MS-DOS computer to a LocalTalk network	 With your order, you'll receive: ▶ AppleTalk PC Card ▶ 2 disks (1 startup, 1 program) ▶ Installation and operating manual ▶ Limited warranty statement

Apple Computer, Inc.

20525 Mariani Avenue Cupertino, CA 95014 (408) 996-1010 TLX: 171-576 ©1987 Apple Computer, Inc. Apple, the Apple logo, Apple IICS, AppleTalk, ImageWriter, LaserWriter, and Macintosh are registered trademarks of Apple Computer, Inc. AppleShare, LaserShare, and LocalTalk are trademarks of Apple Computer, Inc. Ethernet is a registered trademark of Xerox Corporation. IBM is a registered trademark of International Business Machines Corporation. MS-DOS is a registered trademark of Microsoft Corporation. October 1987. Product specifications are subject to change without notice. M3004