



Overview

The Apple® LaserWriter® IIsc is Apple's entry-level, single-user laser printer for the Macintosh® personal computer. It brings the individual Macintosh user full-page, high-resolution (300 dpi) text and graphics print capability at an affordable price.

With the LaserWriter IIsc printer, Macintosh system users can produce near-typeset-quality documents—from correspondence, proposals, and presentations to price lists, spreadsheets, and forms—while saving both time and money.

The LaserWriter IIsc comes with four font families: Times®, Helvetica®, Courier, and Symbol.

Features

Benefits

-
- | | |
|---|---|
| ▶ Full-page, high-resolution text and graphics | ▶ Provides 300-dot-per-inch resolution over the entire page, for high-quality documents. |
| ▶ Motorola 68000 processor | ▶ Allows high-performance printing at up to 8 pages per minute. |
| ▶ Variety of Macintosh typefaces and type sizes | ▶ Prints a wide range of type sizes in the most popular typefaces: Times, Helvetica, Courier, and Symbol. |
| ▶ SCSI interface | ▶ Transfers data at high speeds for fast printing.
▶ Allows daisy-chaining of up to six additional peripheral devices. |
| ▶ Background printing | ▶ With the MultiFinder™ software, allows you to continue work on your Macintosh computer while printing. |
| ▶ LaserWriter family print engine | ▶ Uses the second-generation engine common to all LaserWriter II models, offering a logical upgrade path. |
| ▶ Versatile paper handling | ▶ Comes with choice of face-down or face-up output trays.
▶ Offers adjustable manual feed for labels and envelopes.
▶ Features interchangeable paper trays for different paper sizes. |
| ▶ Print-media versatility | ▶ Lets you print on almost any material—including standard photocopy paper, letterhead, labels, envelopes, and transparency film—for maximum flexibility in meeting your printing needs. |
| ▶ Improved toner system | ▶ Offers darker blacks and longer life than previous LaserWriter cartridges. |

Product Details**QuickDraw**

Built into every Macintosh computer is QuickDraw, a set of text and graphics routines. The LaserWriter IIsc relies on those routines to print.

Users

The LaserWriter IIsc is dedicated to single Macintosh Plus, SE, or II systems through the SCSI port. This connection also allows you to daisy-chain as

many as six additional SCSI devices, such as hard disks.

Upgrade Options

Your LaserWriter IIsc printer can be upgraded to a LaserWriter II π T

or LaserWriter II π TX by your authorized Apple dealer.

System Requirements

To use the Apple LaserWriter IIsc printer, you must have a

Macintosh II, SE, or Plus computer, with System software 5.1 or greater.



LaserWriter IIsc

Technical Specifications

Marking engine

- ▶ Canon LBP-SX laser xerographic

Processor

- ▶ Motorola 68000 (7.45-megahertz clock speed)

Memory

- ▶ 16 kilobytes ROM; 1 megabyte RAM

Interfaces

- ▶ SCSI and Apple Desktop Bus™ (for future expansion) ports

Macintosh fonts (on disk)

- ▶ Times, Helvetica, Courier, and Symbol typefaces in 9-, 10-, 12-, 14-, 18-, and 24-point sizes. (For best results, these fonts should be installed in the System file of your Macintosh computer from the disks shipped with the LaserWriter IIsc.)

Speed

- ▶ 8 pages per minute maximum throughput (actual speed depends on images printed)

Print quality

- ▶ All text and graphics printed at 300 by 300 dots per inch, full page

Print materials

- ▶ Letter, legal, A4, and B5 sizes using 16- to 20-pound single-sheet photocopy bond, 8- to 34-pound letterhead and colored stock, or transparency overhead film. Envelopes, labels, and paper (up to 36-pound) supported via manual feed. Envelopes also supported via optional envelope tray.

Print capacities

- ▶ Paper cassettes hold 200 sheets of 20-pound paper.
- ▶ Optional envelope cassette holds 15 envelopes.

Printable surface

- ▶ Letter size: 8.0 by 10.5 inches; legal: 8.0 by 13.0 inches; A4: 7.41 by 10.86 inches; B5: 7.69 by 10.16 inches (actual printable area may vary depending on application)

Size and weight

- ▶ Height: 8.6 in. (21.8 cm)
- ▶ Width: 20 in. (50.8 cm) With letter tray attached, 26.4 in. (67.1 cm)
- ▶ Depth: 18.5 in. (47 cm)
- ▶ Weight: 45 lb. (20.25 kg)

Operating environment

- ▶ Temperature: 50° to 90° F (10° to 32° C)
- ▶ Humidity: 20 percent to 80 percent

Power requirements

- ▶ 90 to 126 volts AC; 50 to 60 hertz

Ordering Information

Apple LaserWriter IIsc

Order No. M6200

With your order, you'll receive:

- ▶ LaserWriter IIsc printer
- ▶ LaserWriter IIsc Fonts disk
- ▶ LaserWriter II Installation disk
- ▶ Letter cassette
- ▶ Toner cartridge
- ▶ Owner's guide
- ▶ Limited warranty statement